# TENNESSEE GENERAL ASSEMBLY FISCAL REVIEW COMMITTEE



# FISCAL MEMORANDUM

## SB 410 – HB 521

March 14, 2017

**SUMMARY OF ORIGINAL BILL:** Requires all public K-12 schools to purchase and maintain one automated external defibrillator (AED). Encourages private schools as defined in Tenn. Code Annotated § 49-6-3001 to place AEDs in schools as required by public schools in Tenn. Code Annotated § 49-2-122. Requires private schools with AEDs to comply with standards as required for public schools for maintenance, testing and training.

#### CORRECTED FISCAL IMPACT OF ORIGINAL BILL:

Increase Local Expenditures - \$360,000/FY17-18\* \$42,800/FY19-20 and Subsequent Years\*

**SUMMARY OF AMENDMENT (004839):** Deletes and replaces certain language of the bill such that the only substantive change is to make the purchase of an AED device permissive for elementary schools.

## FISCAL IMPACT OF BILL WITH PROPOSED AMENDMENT:

Increase Local Expenditures – \$148,000/FY17-18\* \$17,600/FY19-20 and Subsequent Years\*

Assumptions for the bill as amended:

- Based on information from the Department of Education, there are 180 public schools without an AED.
- Pursuant to Tenn. Code Annotated § 49-2-122, LEAs are currently encouraged but not required to stock schools with AEDs. Therefore, AEDs are permissive expenditures for local governments under current law.
- The amended bill makes it a permissive option for elementary schools to place AEDs in such schools, which will be consistent with Tenn. Code Ann. § 49-2-122; however, the amended bill maintains the requirement that public middle and high schools place an AED in such schools.

- Based on information from the DOE, there are 1,077 public elementary schools in Tennessee. This accounts for approximately 59 percent of all Tennessee public schools (1,077 public elementary schools / 1,833 all public schools).
- It is assumed that a similar percentage of the 180 schools without AEDs are elementary schools, or 106 (180 x 59.0%) are elementary schools; Therefore, 74 middle and high schools (180 106) are assumed to be required to purchase AEDs due to the provisions of the amended bill.
- Based on information provided by the Comptroller of the Treasury, the average cost for an AED per the state contract is approximately \$2,000. Replacement parts are estimated to be \$475 (\$140 for AED pads + \$135 battery + \$200 electrodes), to be replaced every two years.
- The mandatory one-time increase in local expenditures associated with the AEDs is estimated to be \$148,000 (74 schools x \$2,000).
- The mandatory recurring biennial increase in local expenditures is estimated to be \$35,150 (74 schools x \$475); annualized, the mandatory recurring increase, beginning in FY19-20, is estimated to be \$17,575 (\$35,150 / 2 years).

## **CERTIFICATION:**

The information contained herein is true and correct to the best of my knowledge.

Krista M. Lee, Executive Director

rista M. Lee

/maf

<sup>\*</sup>Article II, Section 24 of the Tennessee Constitution provides that: no law of general application shall impose increased expenditure requirements on cities or counties unless the General Assembly shall provide that the state share in the cost.